

Contents

1 Introduction	9
1.1 Anti-symmetric spin-orbit coupling	9
1.1.1 Microscopic origin of ASOC	10
1.1.2 Type of ASOC	11
1.1.3 Edelstein effect	13
1.2 Spontaneous inversion symmetry breaking	13
1.3 Pyrochlore oxide $\text{Cd}_2\text{Re}_2\text{O}_7$	15
1.3.1 Lattice structure and phase transitions	15
1.3.2 Origin of phase transitions	18
1.4 Purpose of this thesis	22
1.5 Organization of this thesis	22
2 Method	23
2.1 First-principles calculation	23
2.1.1 Kohn-Sham equation	23
2.1.2 Local density approximation	26
2.2 Construction of Multiorbital Hubbard model	26
2.2.1 Maximally-localized Wannier function	26
2.2.2 Tight-binding parameters	27
2.2.3 Coulomb interactions	29
2.3 Generalized susceptibility	30
2.3.1 Bare susceptibility	31
2.3.2 Random phase approximation	31
2.4 Conductivity tensor and magnetocurrent coefficient	34
3 Result	37
3.1 First-principles calculation	37
3.1.1 Calculation conditions	37
3.1.2 Electronic band structures	39
3.1.3 Transfer integrals	39
3.1.4 Fermi surfaces	44

3.2	Transport properties	48
3.2.1	Calculation conditions	48
3.2.2	Electrical conductivity	49
3.2.3	Magnetocurrent effect	49
3.3	Random phase approximation	54
3.3.1	Calculation conditions	54
3.3.2	Eigenvalues of the generalized susceptibility	54
4	Summary	59