

# Contents

|                                                    |           |
|----------------------------------------------------|-----------|
| <b>Acknowledgement</b>                             | i         |
| <b>Abstract</b>                                    | ii        |
| <b>Publication List</b>                            | v         |
| <b>1 Introduction</b>                              | <b>1</b>  |
| 1.1 Quantum spin liquid and Kitaev model           | 1         |
| 1.2 Kitaev model in actual materials               | 3         |
| 1.3 Van der Waals materials and heterostructures   | 9         |
| 1.4 Purpose of this thesis                         | 10        |
| 1.5 Organization of this thesis                    | 10        |
| <b>2 Model and Method</b>                          | <b>12</b> |
| 2.1 <i>Ab initio</i> calculations                  | 12        |
| 2.1.1 Density functional theory                    | 12        |
| 2.1.2 Maximally-localized Wannier function         | 16        |
| 2.2 Multiorbital Hubbard model                     | 17        |
| 2.3 Low-energy effective pseudospin Hamiltonian    | 20        |
| <b>3 Results</b>                                   | <b>22</b> |
| 3.1 Introduction to this chapter                   | 22        |
| 3.2 Details of <i>ab initio</i> calculations       | 22        |
| 3.3 Lattice structure                              | 23        |
| 3.4 Magnetic states and magnetic anisotropy energy | 23        |
| 3.5 Electronic structure                           | 27        |
| 3.6 Charge distribution difference                 | 28        |
| 3.7 Estimated magnetic coupling                    | 28        |
| 3.8 Discussion                                     | 32        |
| <b>4 Summary</b>                                   | <b>33</b> |